

# System Requirements for LUMEDX Hosted Solutions



Information in this documentation is subject to change without notice and does not represent a commitment on the part of LUMEDX Corporation. The software described in this document is furnished under a license agreement or nondisclosure agreement and can be used and copied only in accordance with the terms of the agreement. No part of this document may be reproduced, or transmitted in any form or by any means, electronic or mechanical, including photocopying or recording, for any purpose, without the express written permission of LUMEDX Corporation.

Unless otherwise noted, names and clinical data used herein are fictitious. No association with any real person or clinical event is intended or should be inferred.

Apollo, CardioPACS, and HealthView are trademarks of the LUMEDX Corporation.

© 2017 LUMEDX Corporation. All rights reserved.

Microsoft, Windows, Access, Office, Internet Explorer, Visual Basic, Visual Studio, Active Directory, and SQL Server are registered trademarks of Microsoft Corporation in the United States and other countries.

Other products and companies noted herein may be trademarks of their respective owners.

LUMEDX Corporation  
 555 12th Street  
 Suite 2060  
 Oakland, California 94607 USA

Tel 800.966.0699

[www.lumedx.com](http://www.lumedx.com)

Revision History		
Revision	Date	Description
103-01268-007	04/28/2017	Removed 32-bit option for Windows 7, updated support for .NET to 4.6.1, Windows 10, and Office 2016.
103-01268-006	10/25/2016	Added Datamed Server requirements, added an Administration Workstation requirement.
103-01268-005	05/13/2016	Added new requirements for two different Edge Servers (with or without HealthView CardioPACS), updated product names to be consistent with the Releases website, increased storage and memory, added Image Cache size customization requirement, removed Early Adopter limitation from IE 11, Windows Server 2012 and SQL Server 2012, updated SAN, NAS, or DAS information. Included the exception that CardioPACS products are not supported in a Citrix environment.
103-01268-004	03/01/2016	Increased workstation memory requirement to 8 GB.
103-01268-003	9/22/2015	Added Adobe Reader requirement for all HeathView workstations and servers. Added Early Adopter support for IE 11 32-bit, Windows Server 2012, and SQL Server 2012. Clarified that monitor size is for optimal usability. Added definition of Early Adopter support for other (non-LUMEDX, third-party) software.
103-01268-002	1/27/2015	Added minimum effective download speed between the server and the client. Referenced the documentation for Port settings and security.

# Hardware and Software General Requirements

The following general requirements and instructions apply to all LUMEDX hosted systems:

- The hardware specifications listed in this document are recommendations to provide a three to five year hardware lifecycle for new system deployments. The requirements are based on running LUMEDX products and listed third-party products only. Installation and performance of any additional non-LUMEDX products have not been taken into consideration and may have negative impact if not properly planned and provided for. Running additional applications, or running applications in a particularly large or busy site, will require additional resources. If you have questions regarding any of the hardware and software requirements, contact your LUMEDX representative.
- These requirements are for a SaaS-only environment and do not support running LUMEDX products in a mixed environment or a mixed legacy environment.
- Microsoft, Citrix and other third-party products listed in this document are not LUMEDX products. LUMEDX products will work in these environments if your site has qualified support teams to insure they are installed, configured, and maintained according to the manufacturer's installation and best practice procedures. Exception: CardioPACS products are not supported in a Citrix environment.
- Unless otherwise specified in this document, all third-party software products must be maintained with the most recent Service Packs.
- LUMEDX recommends that all LUMEDX software be installed on the servers and workstations directly from the CD Image files. LUMEDX does not support workstation imaging or ghosting.
- Except where explicitly noted in the documentation, LUMEDX does not support custom work performed either by the client or by third parties not associated with LUMEDX.
- LUMEDX recommends a minimum effective download speed of 25 Mbps between the server and the client. Refer to the *LUMEDX Platform Integration Guide* for information about security and port settings.
- LUMEDX recommends that the client confirm adequate network capacity and performance prior to go-live.
- LUMEDX cannot guarantee product latency and/or performance over a WAN due to variances in effective bandwidth and network topography.
- LUMEDX uses WebEx or Mitel online meeting sessions for technical support and assistance. If your site does not support this method, then your site will need to supply LUMEDX with the relevant VPN information.
- Clients must purchase two Edge Servers, one for Test and one for Production. The only difference between the Test and Production Edge servers is the CardioPACS cache storage size.
- Early Adopter support for other software on Client Workstations and Servers means that this software has received limited testing in-house at LUMEDX, but it has not been fully tested in all configurations in use at client sites. Use of this software in a production environment at client sites does not require a LUMEDX Pre-Installation Software Agreement. If any issues are discovered, please report them to LUMEDX Technical Support.

## **Caution: Possible delays in therapy**

### **Mitigations:**

- The Client is expected to ensure that at least two persons at the Client facility are knowledgeable LUMEDX System Administrators.
- The Client is expected to have at least two LUMEDX workstations on site that meet the minimum system requirements in this document. This redundancy allows users to immediately move to another workstation if workstation problems are encountered.
- If this system is considered mission-critical by the client, provision of a redundant internet infrastructure to reduce the risk of loss of connectivity is highly recommended.
- The Edge Servers reduce the risk of mission-critical patient data being unavailable. The PACS Edge server requirements are based on maintaining one to two years of HealthView CardioPACS data on site. Maintaining additional data on site may require additional capacity. Image cache size needs to be determined by each client on a case-by-case basis.

## LUMEDX Hosted Solutions Client Workstation Requirements

	Operating System	Other Software	Processor	Memory	Hard Drive / Storage Media	Peripheral Devices	#
<b>HealthView Workstation</b>	<p>Windows 10 64-bit Limited to specific versions of LUMEDX products. See the Readmes for product information.</p> <p>Windows 7 64-bit</p>	<ul style="list-style-type: none"> <li>• Adobe Reader</li> <li>• Internet Explorer 8 or 11, 32-bit</li> </ul> <p><b>HeathView CardioPACS workstations additional requirement:</b></p> <ul style="list-style-type: none"> <li>• .NET Framework 4.0</li> </ul>	Dual Core	8 GB RAM	<p>140 GB</p> <p>20 GB partition for OS</p> <p><b>Diagnostic HealthView CardioPACS workstations:</b> 200 GB temp cache free space</p>	<p>104 key enhanced keyboard</p> <p>Mouse</p> <p>CD/DVD RW</p> <p>LCD color monitor running at 1920x1080. Optimal usability: 20"- 24" size.</p> <p><b>Diagnostic HealthView CardioPACS workstations:</b> Medical Device Grade Display 256MB Dual DVI Graphics Card, Dual DVI flat panel LCD color monitors with Resolution 1280x1024 @ 60Hz, Brightness 300cd/m2, Dot Pitch 0.27mm, Response Time 8 ms.</p>	
<b>Dedicated Administration Workstation</b>	<p>Windows 10 64-bit Limited to specific versions of LUMEDX products. See the Readmes for product information.</p> <p>Windows 7 64-bit</p>	<ul style="list-style-type: none"> <li>• .NET Framework 4.6.1, 4.0, and 3.5</li> <li>• Microsoft Office Professional: Access, Excel, Word, and Tools components. <ul style="list-style-type: none"> <li>○ 2016 32-bit, limited to specific versions of LUMEDX products. See the Readmes for product information.</li> <li>○ 2013 32-bit, limited to specific versions of LUMEDX products. See the product Readmes for support information.</li> <li>○ 2010 32-bit</li> </ul> </li> <li>• Internet Explorer 8 or 11, 32-bit</li> <li>• Adobe Reader</li> </ul>	Dual Core	8 GB RAM	<p>140 GB</p> <p>20 GB partition for OS</p>	<p>Access to this workstation is for LUMEDX personnel using the VPN and RDP</p>	

### LUMEDX Hosted Solutions Client Server Requirements

Line Item	Server	Operating System and Components	LUMEDX Products	Other Software	Processor	Memory	Hard Drive Storage Media	#
1.	Hybrid SaaS Secure Transport Client	Windows Server 2008 R2 x64  Windows Server 2012 R2	Secure Transport Client  TCPIP Receive Client  TCPIP Send Client	Adobe Reader	Dual Core	4 GB RAM	20 GB partition for OS  100 GB free space in a separate partition for applications	

## LUMEDX Hosted Solutions Client Server Requirements

Line Item	Server	Operating System and Components	LUMEDX Products	Other Software	Processor	Memory	Hard Drive Storage Media	#
2.	Edge Server	Windows Server 2008 R2 x64  Windows Server 2012 R2	Secure Transport Client  TCPIP Receive Client  TCPIP Send Client	<ul style="list-style-type: none"> <li>.NET Framework 4.6.1</li> </ul> <p><b>Autodistribution Additional Requirement:</b> If you are using AutoDistribution, outbound communication into the hospital, Datamed, or Results Reporting, this server needs to connect to the LUMEDX Data Center via the VPN</p> <p><b>HealthView ECG Manager Additional Requirements:</b></p> <ul style="list-style-type: none"> <li>DatamedRcv</li> <li>DatamedWL is required for orders to carts</li> </ul> <p><b>AutoDistribution Suite Additional Requirement:</b></p> <ul style="list-style-type: none"> <li>Adobe Reader 9</li> </ul>	Dual Core	8 GB RAM	<p>SAN, NAS or DAS. Must support SMB 2.1 or 3.0 shares with Windows NTFS permissions.</p> <p>50 GB (OS Partition)</p> <p>150 GB (Application Partition)</p> <p>2x - 1 Gb NIC (redundant)</p> <p>Redundant Power Supplies</p> <p>Battery backup UPS</p> <p><b>ECGMS Additional Requirement:</b></p> <ul style="list-style-type: none"> <li>1x USB port</li> </ul> <p><b>AutoDistribution Additional Requirement:</b></p> <ul style="list-style-type: none"> <li>Fax Modem</li> </ul>	

## LUMEDX Hosted Solutions Client Server Requirements

Line Item	Server	Operating System and Components	LUMEDX Products	Other Software	Processor	Memory	Hard Drive Storage Media	#
3.	Datamed Server	One of the following: Windows 7 x86 or x64, Windows Server 2008 x86 and x64, Windows Server 2008 R2, or Windows Server 2012 R2	N/A	<ul style="list-style-type: none"> <li>Microsoft .NET Framework 2.0, 3.0, or 3.5</li> <li>DatamedFT or DatamedWL Service.</li> </ul> <p>DatamedFT can be run inside a virtual machine that runs a compatible operating system. DatamedFT has been tested with VMWare Products: Server, ESX/ESXi Server, Workstation, and Fusion. The virtual machine must have access to the HASP USB security key, which typically resides on the host computer. For single-server installations, the key can be plugged into the host computer and assigned to the VM.</p>	Quad Core	1 GB	<p>40 GB for program operation.</p> <p>If EKGs will be archived they require approximately 50-200MB per 1000 EKGs, depending on format.</p> <p>NIC 10/100/1000. Two NICs are required if the server straddles two LANs.</p> <p>One USB port for the DatamedFT license key.</p> <p>For fault-tolerant configurations including vMotion, a USB-to-Ethernet adapter such as AnywhereUSB can be used.</p> <p>Video: 1024 x 768 or greater</p>	

## LUMEDX Hosted Solutions Client Server Requirements

Line Item	Server	Operating System and Components	LUMEDX Products	Other Software	Processor	Memory	Hard Drive Storage Media	#
4.	PACS Edge Server	Windows Server 2008 R2 x64  Windows Server 2012 R2	Apollo Advance  HealthView CardioPACS  Secure Transport Client  TCPIP Receive Client  TCPIP Send Client  MWL MPPS SCP Add-On for CardioSchedule and Orders  ADT Import Interface  HL7 Orders Import Interface  Auto Distribution Suite	<ul style="list-style-type: none"> <li>.NET Framework 4.6.1, and 4.0</li> <li>Microsoft Office Professional Access, Excel, Word, and Tools components:                             <ul style="list-style-type: none"> <li>2016 32-bit, limited to specific versions of LUMEDX products. See the Readmes for product information.</li> <li>2013 32-bit, limited to specific versions of LUMEDX products. See the product Readmes for support information.</li> <li>2010 32-bit</li> </ul> </li> <li>SQL Server Standard Edition: Database Engine, Integration Services, Workstation Components.                             <ul style="list-style-type: none"> <li>SQL Server 2012</li> <li>SQL Server 2008 R2 x64</li> </ul> </li> </ul> <p>This server needs to connect to the LUMEDX Data Center via a VPN.</p> <p><b>HealthView ECG Manager Additional Requirements:</b></p> <ul style="list-style-type: none"> <li>DatamedRcv</li> <li>DatamedWL is required for orders to carts</li> </ul> <p><b>AutoDistribution Suite Additional Requirement:</b></p> <ul style="list-style-type: none"> <li>Adobe Reader 9</li> </ul>	2x – 2.4 GHz Quad Core	16 GB RAM	SAN, NAS or DAS.  50 GB (OS Partition)  100 GB (SQL Partition)  200 GB (Application Partition)  1TB Minimum (Image Cache partition). Image cache size needs to be determined by each client on a case-by-case basis. Contact your LUMEDX representative for help calculating the amount of space you require.  2x - 1 Gb NIC (redundant)  1x USB port  Redundant Power Supplies  Battery backup UPS  <b>AutoDistribution Suite Additional Requirement:</b> <ul style="list-style-type: none"> <li>Fax Modem</li> </ul>	